







Speed and reliability

A UNIQUE COMBINATION OF NAVIGABILITY AND ENORMOUS MARGIN OF SAFETY

Our engineers and constructors have been developing the hull shape and the basic structures for three years. The result of their work is a boat that combines navigability, weight and enormous margin of safety.

Efficiency

LOW MAINTENANCE COSTS

Our clients can save on the price of the motor, as well as on its attendance and fuel burn rate. For instance, the Model 440 has got the power motor allowance of 50 HP. This engine allows you to reach speed of up to 60 km/h.

COMPONENTS FROM THE BEST MANUFACTURERS ONLY:

VIZION is an official dealer of the best manufacturers for aluminum motorboat accessories and equipment. We are ready to install any equipment and accessories on your motorboat.

Equipment & style

THE FULLEST COMPLETE PACKAGE ONLY

VIZION boats are available in one set of components and it is the fullest. There are five colors and two variants of board style for our clients to choose. We will make sure that you are always proud of your purchase.

10 year warranty!

FOR THE HULL AND WELDED JOINTS

Owing to the high skills of our employees we can assure clients of the quality of our products. Therefore the warranty for the hull and welded joints is 10 years. At our production plant we always help clients with finding resolution for any problems.

Safety

WE PAY SPECIAL ATTENTION TO THE SAFETY OF OUR BOATS

We entrusted the safety check to the top experts of the field – International Marine Certification Institute. They carried out all the tests that were necessary to confirm the absolute safety of our boats.


Transportation

CONVENIENT FOR TRANSPORTATION AND STORAGE

As the weight of equipped boat (Model 440) does not exceed 500 kg, its transportation does not demand a trailer with carrying capacity more than 550 kg. Usually such trailers do not exceed 6 m in length.

































VIZION MODEL RANGE





Each VIZION boat is designed to use the maximum usable area with the lowest motor power. Our model VIZION 410 is no exception. This boat is designed for engines of 15-20 hp, and the total area of the boat is 6.7 square meters! The boat has compartments for storing various equipment, storage space for four spinnings with a length up to 2.7 meters, an aerator, a rail system at the side for attaching various accessories, deck lighting, a bilge pump, cigarette lighter ... And as always, our unmatched quality in every detail! All this will make your experience on the water as comfortable as possible. The maximum speed of the model VIZION 410 with a 20 hp engine is 45 km/h.

Technical data

HARACTERISTIC	VALUE
Total length	4100 mm
Total width	1780 mm
Hull height in midsection	750 mm
Transom height	380 mm
Thickness – bilge/board	2 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	8°
Load limit (weight of passengers and luggage)	350
Max people capacity	3
Max engine power	30
Weight of rigged hull (excluding outboard motor)	220
Category	С

Basic equipment

- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ Socket (12V)
- 4 retractable cleats, stainless
- Trunk boxes with drainage system
- ✓ Navigation lights
- Parking light
- ✓ Water pump
- 2 seat WISE Blast Off
- 3 bases for seats of the cockpit
- ✓ Base for a seat of the front part
- ✓ 2 removable stands for seats
- Hull coating
- Battery switch
- ✓ Holders for 4 spinnings (2,7 m)
- Marine carpeting or vinyl finishing
- ✓ LED lighting on the deck (2 lamps)

Option equipment

OPTION	PRICE
Aerator 80l	+300€













VIZLON 410

SPEED CHARACTERISTICS:

ENGINE	YAMAHA F20
PROPELLER PITCH	10
SPEED KM/H (1 PERS., 30+80KG)	38
SPEED KM/H (2 PERS., 30+160KG)	36
SPEED KM/H (3 PERS., 30+240KG)	35







Compartments location

1 FRONT COMPARTMENT

For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.

2 SECOND FRONT COMPARTMENT OR OPTIONALY AERATOR 80L

For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.

OPTIONAL AERATOR: Capacity with water 80 I, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

2 SPINNING SIDE COMPARTMENTS

Meant for 4 spinning rods up to 2,7 m in length (unfolded).

4 2 REAR COMPARTMENTS

Compartment for additional battery, battery charger, fenders, personal belongnings etc.

5 MANHOLE

For checking the pumps, cables and any water in the bulge.





VIZION 440RS is a light version of VIZION 440CS. The absence of the console allowed to decrease the weight significantly and expand the deck space. Fot this particular model we recommend installing motors with a capacity of 30-40 HP. Moreover, this model is not inferior to its fellow boats in terms of the quantity of compartments, quality of accessories and installation.

Technical data

HARACTERISTIC	VALUE
Total length	4430 mm
Total width	1900 mm
Hull height in midsection	800 mm
Transom height	380/510 mm
Thickness – bilge/board	3 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	10°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max people capacity Max engine power	4 50 HP
Max engine power Weight of rigged hull	50 HP

Basic equipment

- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ Socket (12V)
- 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- ✓ Navigation lights
- ✓ Parking light
- ✓ Water pump
- 3 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- 2 removable stands for seats
- ✓ 2 seat WISE Blast Off
- ✓ Hull coating
- Battery switch
- ✓ 4 spinning rod compartments 2,7 m
- ✓ Aerated Livewell 80 l
- Marine carpeting or vinyl finishing
- ✓ LED lighting on the deck (4 lamps)












VIZION 440RS

SPEED CHARACTERISTICS:

ENGINE	YAMAHA F30
PROPELLER PITCH	12
SPEED KM/H (1 PERS., 30+80KG)	48
SPEED KM/H (2 PERS., 30+160KG)	45
SPEED KM/H (3 PERS., 30+240KG)	40



V17100 440RS



Compartments location

FRONT COMPARTMENT

For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.

2 AERATOR 80 L

Capacity with water 80 l, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

3 SPINNING ROD COMPARTMENT

Meant for 4 spinning rods up to 2,7 m in length (unfolded).

2 SIDE COMPARTMENTS

This compartment can hold many baits and tackle.

5 3 REAR COMPARTMENTS

Compartment for additional battery, battery charger, fenders, personal belongnings etc.

6 MANHOLE

For checking the pumps, cables and any water in the bulge.





The unique hull form durable and thoroughly elaborated interior of the boat make Model VIZION 440CS one of a kind in terms of price-to-quality ratio. Thos model will please its owner with economic effectiveness and low attendance costs for the light weight of the boat does not require the installation of a big and expensive motor. One more advantage is that one can use a trailer with carrying capacity of up to 750 kg, almost every car can cope with such trailer. Despite its compact size the boat meets the highest standards of the choosy anglers.

Technical data

HARACTERISTIC	VALUE
Total length	4430 mm
Total width	1900 mm
Hull height in midsection	800 mm
Transom height	380/510 mm
Thickness – bilge/board	3 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	10°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	50 HP
Weight of rigged hull (excluding outboard motor)	330 kg
Category	С

Basic equipment

- ✓ Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- ✓ Navigation lights
- Parking light
- ✓ Water pump
- ✓ 3 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- 2 removable stands for seats
- 2 seat WISE Blast Off (rotable with position lockings and slide bars)
- Hull coating
- Battery switch
- ✓ Glove box
- 4 spinning rod compartments 2,7 m
- Aerated Livewell 80 I
- Marine carpeting or vinyl finishing
- Fuel tank 45 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- LED lighting in the glove box











VIZION 440CS

SPEED CHARACTERISTICS:

ENGINE	ΥA	MAI	HA F	50
PROPELLER PITCH	12	13	14	15
SPEED KM/H (1 PERS., 30+80KG)	X	57	62	
SPEED KM/H (2 PERS., 30+160KG)	X	55	54	X
SPEED KM/H (3 PERS., 30+240KG)	45	51	X	X

- Optima
- Max. speed
- X Not recommende





Compartments location

FRONT COMPARTMENT
For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment.

Finishing – carpet.

- 2 AERATOR 80 L
 Capacity with water 80 l, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- **SPINNING ROD COMPARTMENT**Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- GLOVE BOX WITH A LOCK
 With a lighting and two USB ports for charging.
- 2 SIDE COMPARTMENTS
 This compartment can hold many baits and tackle.

- 6 2 REAR COMPARTMENTS
 Compartment for additional battery, battery charger, fenders, personal belongnings etc.
- 7 MANHOLE
 For checking the pumps, cables and any water in the bulge.
- 8 FUEL TANK NECK Fuel tank 60 l.





The durable hull can stand up to any trials water may bring. 10 compartments allow put and store all your belongings and things on board. The built-in fuel tank (60 liters) will not limit your travels. 80 liters aerator will keep your fishing trophys. Remove the back seats and you will get a spacious platform forfishing. Ergoinomic Driver's and Passenger's WISE seats will make your journeys ever so comfortable. An abundance of shelves, pockets and glass holders will positively impress you. Premium carpeting and accessories from the best manufacturers. This is VIZION 470.

Technical data

HARACTERISTIC	VALUE
Total length	4700 mm
Total width	1950 mm
Hull height in midsection	850 mm
Transom height	380/510 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	14°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	70 HP
Weight of rigged hull (excluding outboard motor)	470 kg
Category	С

Basic equipment

- ✓ Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- Navigation lights
- ✓ Parking light
- ✓ Water pump
- 2 foldable seats
- 2 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- ✓ 2 seat WISE Blast Off
- / Hull coating
- Battery switch
- ✓ Glove box
- 4 spinning rod compartments 2,7 m
- ✓ Aerated Livewell 80 I
- Marine carpeting or vinyl finishing
- Fuel tank 60 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- LED lighting in the glove box











VIZION 470

SPEED CHARACTERISTICS:

ENGINE	YA	MAI	IA F	70
PROPELLER PITCH	14		17	19
SPEED KM/H (1 PERS., 30+80KG)	×	62	68	
SPEED KM/H (2 PERS., 30+160KG)	55	58	X	X
SPEED KM/H (3 PERS., 30+240KG)	52	54	X	X

- Optima
- Max. speed
- X Not recommende





REAR REMOVABLE SEATS VERSION

Compartments location

- TECHNOLOGICAL COMPARTMENT Finish painted.
- 2 3 FRONT COMPARTMENTS
 For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment.
 Finishing carpet.
- TWO TIER COMPARTMENT
 The upper section is used to store baits and tackles.
 In the lower section are placed two battery electric motor.
- 4 COCKPIT COMPARTMENT
 Suitable for use as a refrigerator for drinks. Finish painted.
- 5 GLOVE BOX WITH A LOCK
 With a lighting and two USB ports for charging.

- 6 2 SPINNING SIDE COMPARTMENTS

 Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- 7 AERATOR 80 L Capacity with water 80 l, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- 8 2 REAR COMPARTMENTS
 Compartment for storing battery, baits and other trifles. Finish painted.
- 9 MANHOLE
 For checking the pumps, cables and any water in the bulge.
- 10 FUEL TANK NECK Fuel tank 60 l.









Technical data

Total length 4700 mm Total width 1950 mm Hull height in midsection 850 mm Transom height 510 mm Thickness – bilge/board 3/2 mm Hull composite material AL 5083 H111	HARACTERISTIC	VALUE
Hull height in midsection 850 mm Transom height 510 mm Thickness – bilge/board 3/2 mm Hull composite material AL 5083 H111	Total length	4700 mm
Transom height 510 mm Thickness – bilge/board 3/2 mm Hull composite material AL 5083 H111	Total width	1950 mm
Thickness – bilge/board 3/2 mm Hull composite material AL 5083 H111	Hull height in midsection	850 mm
Hull composite material AL 5083 H111	Transom height	510 mm
	Thickness – bilge/board	3/ 2 mm
	Hull composite material	AL 5083 H111
Transom deadrise 14°	Transom deadrise	14°

HARACTERISTIC	VALUE
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	70 HP
Weight of rigged hull (excluding outboard motor)	420 kg
Weight of rigged hull	



The aluminum motorboat VIZON 500 is created for group fishing and water recreation. If you like the deck to be neatly organized and to have a lot of possibilties to put everything, while fishing or relaxing, then the VIZION 500 model is for you. Fishermen will appreciate the VIZION 500 model with compartments for 9 spinnings up to 2.7 meters long, an aerator for 110 liters of fish, many compartments for storing your gear and lures, spacious fish platforms at the bow and stern of the boat, T-groove for fastening various devices and spacious console for installation of echo sounders and chart plotters. If you like to relax on the water with family and friends, then a comfortable sofa, a quick-detachable table in the center of the cockpit, an awning for sun protection and even a barbecue are at your service! The aluminum motorboat VIZION 500 has excellent design, dynamics, and controllability. In the production of the VIZION 500 model, we only used high-quality materials and accessories. The VIZION 500 model embodies style, speed, reliability, and safety.

Technical data

HARACTERISTIC	VALUE
Total length	5040 mm
Total width	2180 mm
Hull height in midsection	950 mm
Transom height	510 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	16,5°
Load limit (weight of passengers and luggage)	500 kg
Max people capacity	5
Max engine power	115 HP
Weight of rigged hull (excluding outboard motor)	630 kg
Category	С

Option equipment

OPTION	PRICE
Cockpit table	+ 120 €

Basic equipment

- Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- Navigation lights
- Parking light
- ✓ Water pump
- 2 foldable seats
- 2 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- ✓ 2 seat WISE Blast Off
- ✓ Hull coating
- Battery switch
- ✓ Glove box
- 2 side rod compartments for 4 spinnings 2,7 m
- Center rod compartment for 5 spinnings 2,7 m
- ✓ Aerated Livewell 110 I (2 circuits)
- Marine carpeting or vinyl finishing
- Fuel tank 100l (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- ✓ LED lighting in the glove box











VIZION 500

SPEED CHARACTERISTICS:

ENGINE	YAM	IAHA	F115
PROPELLER PITCH	17		21
SPEED KM/H (1 PERS., 30+80KG)	×	78	
SPEED KM/H (2 PERS., 30+160KG)	×	75	76
SPEED KM/H (3 PERS., 30+240KG)	65	73	71
SPEED KM/H (4 PERS., 30+320KG)	64	72	X
SPEED KM/H (5 PERS., 30+400KG)	60		×

Optimal

Max. spee

X Not recommende





Compartments location

- TECHNOLOGICAL COMPARTMENT Finish - painted.
- 2 FRONT COMPARTMENTS For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.
- 3 AERATOR 110 L Capacity with water 110 I, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- **COCKPIT SPINNING COMPARTMENT** Meant for 5 spinning rods up to 2,7 m in length (unfolded).
- **GLOVE BOX WITH A LOCK** With a lighting and two USB ports for charging.

- **2 SPINNING SIDE COMPARTMENTS** Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- LARGE COMPARTMENT A large compartment below folding seats for things, lures and gear. Below it is another compartment for two batteries.
- MANHOLE 8 For checking the pumps, cables and any water in the bulge.
- **FUEL TANK NECK** Fuel tank 100 l.

















Technical data

HARACTERISTIC	VALUE
Total length	6000 mm
Total width	2360 mm
Hull height in midsection	1060 mm
Transom height	635 mm
Thickness – bilge/board	4/ 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	19°

HARACTERISTIC	VALUE
Load limit (weight of passengers and luggage)	650 kg
Max people capacity	6
Max engine power	200 HP
Weight of rigged hull (excluding outboard motor)	880 kg
Category	С



VIZION RECOMMENDS

ALUMINUM MOTORBOATS














MAIN BOAT CONFIGURATION OPTIONS:









Our experts will professionally and efficiently install all this on your boat.





VIZLON