







#### Speed and reliability

A UNIQUE COMBINATION OF NAVIGABILITY AND **ENORMOUS MARGIN OF SAFETY** 

Our engineers and constructors have been developing the hull shape and the basic structures for three years. The result of their work is a boat that combines navigability, weight and enormous margin of safety.

#### **Efficiency**

LOW MAINTENANCE COSTS

Our clients can save on the price of the motor, as well as on its attendance and fuel burn rate. For instance, the Model 440 has got the power motor allowance of 50 HP. This engine allows you to reach speed of up to 60 km/h.

#### **COMPONENTS FROM** THE BEST MANUFACTURERS ONLY:

VIZION is an official dealer of the best manufacturers for aluminum motorboat accessories and equipment. We are ready to install any equipment and accessories on your motorboat.

#### **Equipment & style**

THE FULLEST COMPLETE PACKAGE ONLY

VIZION boats are available in one set of components and it is the fullest. There are five colors and two variants of board style for our clients to choose. We will make sure that you are always proud of your purchase.

#### 10 year warranty!

FOR THE HULL AND WELDED JOINTS

Owing to the high skills of our employees we can assure clients of the quality of our products. Therefore the warranty for the hull and welded joints is 10 years. At our production plant we always help clients with finding resolution for any problems.

#### Safety

WE PAY SPECIAL ATTENTION TO THE SAFETY OF OUR **BOATS** 

We entrusted the safety check to the top experts of the field - International Marine Certification Institute. They carried out all the tests that were necessary to confirm the absolute safety of our boats.

#### **Transportation**


CONVENIENT FOR TRANSPORTATION AND STORAGE

As the weight of equipped boat (Model 440) does not exceed 500 kg, its transportation does not demand a trailer with carrying capacity more than 550 kg. Usually such trailers do not exceed 6 m in length.



































## VIZION MODEL RANGE

440CS 4705 440RS 470 *500* 560 600 4,4x1,9m 290kg 350kg 4,7x1,95m 470kg 4,7x1,95m 420kg 630kg 5,6x2,3m 780kg 6x2,36m 880kg 4,4x1,9m 5x2,18m 50hp 50hp 70hp 70hp 115hp 200hp 225hp 6 6 10 14 18 22 26 30



VIZION 440RS is a light version of VIZION 440CS. The absence of the console allowed to decrease the weight significantly and expand the deck space. Fot this particular model we recommend installing motors with a capacity of 30-40 HP. Moreover, this model is not inferior to its fellow boats in terms of the quantity of compartments, quality of accessories and installation.

#### **Technical data**

HARACTERISTIC	VALUE
Total length	4430 mm
Total width	1900 mm
Hull height in midsection	800 mm
Transom height	380/510 mm
Thickness – bilge/board	3 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	10°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	50 HP
Weight of rigged hull (excluding outboard motor)	290 kg
Category	С

#### **Basic equipment**

- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ Socket (12V)
- 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- ✓ Navigation lights
- Parking light
- ✓ Water pump
- 3 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- ✓ 2 seat WISE Blast Off
- ✓ Hull coating
- Battery switch
- ✓ 4 spinning rod compartments 2,7 m
- ✓ Aerated Livewell 80 l
- Marine carpeting or vinyl finishing
- ✓ LED lighting on the deck (4 lamps)












## VIZION 440RS

#### SPEED CHARACTERISTICS:

ENGINE	<b>ҮАМАНА F30</b>
PROPELLER PITCH	12
SPEED KM/H (1 PERS., 30+80KG)	48
SPEED KM/H (2 PERS., 30+160KG)	45
SPEED KM/H (3 PERS., 30+240KG)	40



V17100 440RS



1 FRONT COMPARTMENT

For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.

2 AERATOR 80 L

Capacity with water 80 l, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

3 SPINNING ROD COMPARTMENT
Meant for 4 spinning rods up to 2.7 m in lend

Meant for 4 spinning rods up to 2,7 m in length (unfolded).

4 2 SIDE COMPARTMENTS

This compartment can hold many baits and tackle.

5 3 REAR COMPARTMENTS

Compartment for additional battery, battery charger, fenders, personal belongnings etc.

6 MANHOLE

For checking the pumps, cables and any water in the bulge.





The unique hull form durable and thoroughly elaborated interior of the boat make Model VIZION 440CS one of a kind in terms of price-to-quality ratio. Thos model will please its owner with economic effectiveness and low attendance costs for the light weight of the boat does not require the installation of a big and expensive motor. One more advantage is that one can use a trailer with carrying capacity of up to 750 kg, almost every car can cope with such trailer. Despite its compact size the boat meets the highest standards of the choosy anglers.

#### **Technical data**

HARACTERISTIC	VALUE
Total length	4430 mm
Total width	1900 mm
Hull height in midsection	800 mm
Transom height	380/510 mm
Thickness – bilge/board	3 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	10°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	50 HP
Weight of rigged hull (excluding outboard motor)	330 kg
Category	С

#### **Basic equipment**

- ✓ Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- ✓ Navigation lights
- ✓ Parking light
- ✓ Water pump
- ✓ 3 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- 2 seat WISE Blast Off (rotable with position lockings and slide bars)
- Hull coating
- Battery switch
- ✓ Glove box
- ✓ 4 spinning rod compartments 2,7 m
- Aerated Livewell 80 I
- Marine carpeting or vinyl finishing
- Fuel tank 45 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- ✓ LED lighting in the glove box











## VIZION 440CS

#### SPEED CHARACTERISTICS:

ENGINE	ΥA	.MAI	HA F	50
PROPELLER PITCH	12	13	14	15
SPEED KM/H (1 PERS., 30+80KG)	X	57	62	
SPEED KM/H (2 PERS., 30+160KG)	X	55	54	X
SPEED KM/H (3 PERS., 30+240KG)	45	51	X	X

- Optimal
- Max. speed
- X Not recommende

0



AITION "40C2

0

V17100 440CS



- FRONT COMPARTMENT
  For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment.
- 2 AERATOR 80 L
  Capacity with water 80 l, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- 3 SPINNING ROD COMPARTMENT
  Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- GLOVE BOX WITH A LOCK
  With a lighting and two USB ports for charging.
- 5 2 SIDE COMPARTMENTS
  This compartment can hold many baits and tackle.

- 6 2 REAR COMPARTMENTS
  Compartment for additional battery, battery charger, fenders, personal belongnings etc.
- 7 MANHOLE
  For checking the pumps, cables and any water in the bulge.
- 8 FUEL TANK NECK Fuel tank 60 l.





The aluminium motorboat VIZON 470s is a lightweight version of the VIZON 470 model. It is the weight of the boat that is the determining factor when choosing a motor. To reduce this parameter, we used thinner aluminium, made changes in the design of the hull, minimized the use of such heavy materials as plywood, vinyl and carpet. As a result of these changes new model VIZON 470s was born. The main advantage of this model is the possibility of using it in combination with a 50 hp engine. The VIZON 470s model was no exception and retained all the advantages of the VIZON brand. This is an absolute build quality, the highest quality materials and components, great design, reliability and safety!

#### Technical data

HARACTERISTIC	VALUE
Total length	4700 mm
Total width	1950 mm
Hull height in midsection	850 mm
Transom height	380/510 mm
Thickness – bilge/board	3 / 2 mm
Hull composite material	AL 5083 H111
Transom deadrise	14°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	70 HP
Weight of rigged hull (excluding outboard motor)	420 kg
Category	С

### **Option equipment**

OPTION	
Tempered glass	

### **Basic equipment**

- ✓ Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them (Plexiglass)
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- Navigation lights
- Parking light
- ✓ Water pump
- ✓ 2 bases for seats of the cockpit
- Base for a seat of the front part
- 2 removable stands for seats
- 2 seat WISE Blast Off
- ✓ Hull coating
- ✓ Battery switch
- Glove box
- ✓ 4 spinning rod compartments 2,7 m
- Aerated Livewell 80 I
- Marine carpeting or vinyl finishing
- Fuel tank 60 I (tank filler neck, fuel level sender and indicator)











# VIZION 4705

#### SPEED CHARACTERISTICS:

ENGINE	ΥA	MA	IA F	60
PROPELLER PITCH	12	13	14	15
SPEED KM/H (1 PERS., 30+80KG)	X	58	61	
SPEED KM/H (2 PERS., 30+160KG)	X	56	55	X
SPEED KM/H (3 PERS., 30+240KG)	48	52	X	×

- Optimal
- Max. spee
- X Not recommende







- TECHNOLOGICAL COMPARTMENT Finish painted.
- 2 **2 FRONT COMPARTMENTS**For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing carpet.
- 3 COCKPIT COMPARTMENT
  Suitable for use as a refrigerator for drinks. Finish painted.
- GLOVE BOX WITH A LOCK
  With a lighting and two USB ports for charging.
- 2 SPINNING SIDE COMPARTMENTS

  Meant for 4 spinning rods up to 2,7 m in length (unfolded).

6 AERATOR 80 L

Capacity with water 80 l, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

- 2 REAR COMPARTMENTS Compartment for storing battery, baits and other trifles. Finish - painted.
- 8 MANHOLE
  For checking the pumps, cables and any water in the bulge.
- 9 FUEL TANK NECK Fuel tank 60 l.





The durable hull can stand up to any trials water may bring. 10 compartments allow put and store all your belongings and things on board. The built-in fuel tank (60 liters) will not limit your travels. 80 liters aerator will keep your fishing trophys. Remove the back seats and you will get a spacious platform forfishing. Ergoinomic Driver's and Passenger's WISE seats will make your journeys ever so comfortable. An abundance of shelves, pockets and glass holders will positively impress you. Premium carpeting and accessories from the best manufacturers. This is VIZION 470.

#### Technical data

HARACTERISTIC	VALUE
Total length	4700 mm
Total width	1950 mm
Hull height in midsection	850 mm
Transom height	380/510 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	14°
Load limit (weight of passengers and luggage)	450 kg
Max people capacity	4
Max engine power	70 HP
Weight of rigged hull (excluding outboard motor)	470 kg
Category	С

#### **Option equipment**

OPTION	
Tempered glass	

### **Basic equipment**

- Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- ✓ Navigation lights
- ✓ Parking light
- ✓ Water pump
- ✓ 2 foldable seats
- 2 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- 2 seat WISE Blast Off
- ✓ Hull coating
- Battery switch
- ✓ Glove box
- 4 spinning rod compartments 2,7 m
- ✓ Aerated Livewell 80 I
- Marine carpeting or vinyl finishing
- Fuel tank 60 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- ✓ LED lighting in the glove box











## **VIZLO1** 470

#### SPEED CHARACTERISTICS:

ENGINE	ΥA	MAI	HA F	70
PROPELLER PITCH	14		17	19
SPEED KM/H (1 PERS., 30+80KG)	X	62	68	
SPEED KM/H (2 PERS., 30+160KG)	55	58	X	×
SPEED KM/H (3 PERS., 30+240KG)	52	54	X	×

- Optimal
- Max. speed
- X Not recommende





## REAR REMOVABLE SEATS VERSION

### **Compartments location**

- TECHNOLOGICAL COMPARTMENT Finish painted.
- **3 FRONT COMPARTMENTS**For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing carpet.
- TWO TIER COMPARTMENT
  The upper section is used to store baits and tackles.
  In the lower section are placed two battery electric motor.
- 4 COCKPIT COMPARTMENT Suitable for use as a refrigerator for drinks. Finish painted.
- 5 GLOVE BOX WITH A LOCK
  With a lighting and two USB ports for charging.

- 6 2 SPINNING SIDE COMPARTMENTS

  Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- 7 AERATOR 80 L
  Capacity with water 80 l, Pump (2), Tap with a filter
  for withdrawal of water, Spraying cap, Set of hoses
  and fitting pieces.
- 8 2 REAR COMPARTMENTS
  Compartment for storing battery, baits and other trifles. Finish painted.
- 9 MANHOLE
  For checking the pumps, cables and any water in the bulge.
- 10 FUEL TANK NECK Fuel tank 60 l.







The aluminum motorboat VIZON 500 is created for group fishing and water recreation. If you like the deck to be neatly organized and to have a lot of possibilties to put everything, while fishing or relaxing, then the VIZION 500 model is for you. Fishermen will appreciate the VIZION 500 model with compartments for 9 spinnings up to 2.7 meters long, an aerator for 110 liters of fish, many compartments for storing your gear and lures, spacious fish platforms at the bow and stern of the boat, T-groove for fastening various devices and spacious console for installation of echo sounders and chart plotters. If you like to relax on the water with family and friends, then a comfortable sofa, a quick-detachable table in the center of the cockpit, an awning for sun protection and even a barbecue are at your service! The aluminum motorboat VIZION 500 has excellent design, dynamics, and controllability. In the production of the VIZION 500 model, we only used high-quality materials and accessories. The VIZION 500 model embodies style, speed, reliability, and safety.

#### **Technical data**

HARACTERISTIC	VALUE
Total length	5040 mm
Total width	2180 mm
Hull height in midsection	950 mm
Transom height	510 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	16,5°
Load limit (weight of passengers and luggage)	500 kg
Max people capacity	5
Max engine power	115 HP
Weight of rigged hull (excluding outboard motor)	630 kg
Category	С

### **Option equipment**

OPTION	
Cockpit table	

#### **Basic equipment**

- Steerage (gear, steering rope, wheel)
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them
- ✓ 4 retractable cleats, stainless
- ✓ Trunk boxes with drainage system
- Navigation lights
- ✓ Parking light
- ✓ Water pump
- 2 foldable seats
- 2 bases for seats of the cockpit
- Base for a seat of the front and back part
- ✓ 2 removable stands for seats
- ✓ 2 seat WISE Blast Off
- Hull coating
- ✓ Battery switch
- ✓ Glove box
- ✓ 2 side rod compartments for 4 spinnings 2,7 m
- Center rod compartment for 5 spinnings 2,7 m
- ✓ Aerated Livewell 110 I (2 circuits)
- Marine carpeting or vinyl finishing
- Fuel tank 100l (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (4 lamps)
- ✓ LED lighting in the glove box











# VIZION 500

#### SPEED CHARACTERISTICS:

ENGINE	YAMAHA F115		
PROPELLER PITCH	17		21
SPEED KM/H (1 PERS., 30+80KG)	×		
SPEED KM/H (2 PERS., 30+160KG)	×	75	76
SPEED KM/H (3 PERS., 30+240KG)	65	73	71
SPEED KM/H (4 PERS., 30+320KG)	64	72	×
SPEED KM/H (5 PERS., 30+400KG)	60		X

Optima

Max. speed

X Not recommended



VIZION 500



- TECHNOLOGICAL COMPARTMENT Finish - painted.
- 2 FRONT COMPARTMENTS For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing – carpet.
- 3 AERATOR 110 L Capacity with water 110 I, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- **COCKPIT SPINNING COMPARTMENT** Meant for 5 spinning rods up to 2,7 m in length (unfolded).
- **GLOVE BOX WITH A LOCK** With a lighting and two USB ports for charging.

- 2 SPINNING SIDE COMPARTMENTS Meant for 4 spinning rods up to 2,7 m in length (unfolded).
- LARGE COMPARTMENT A large compartment below folding seats for things, lures and gear. Below it is another compartment for two batteries.
- MANHOLE 8 For checking the pumps, cables and any water in the bulge.
- **FUEL TANK NECK** Fuel tank 100 l.













Boat VIZON 560 is a boat for professionals. In the creation of this model took part sportsmen anglers who possess a wealth of experience. The result of this collaboration is a boat – ideal for sport fishing. The unique boat hull has excellent dynamic characteristics. The offset to the center of the transom and perfect balance allow you to guickly get up to speed, and body shape makes the boat very maneuverable and stable. Thanks to the deep V, the movement along the wave has become as comfortable as possible. The interior of the VIZION 560 boat will delight its owner with numerous compartments for batteries, spinning rods and chargers, a spacious cockpit and fish platforms. All the equipment you need can easily fit into numerous compartments and boxes. Boat design, finishing materials, fittings and build quality are at the highest level. All this makes the boat unique and the VIZION 560 model will not leave indifferent the most demanding customers.

#### **Technical data**

HARACTERISTIC	VALUE
Total length	5600 mm
Total width	2300 mm
Hull height in midsection	1050 mm
Transom height	635 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	19°
Load limit (weight of passengers and luggage)	550 kg
Max people capacity	6
Max engine power	200 HP
Weight of rigged hull (excluding outboard motor)	780 kg
Category	С

#### **Basic equipment**

- ✓ ULTRAFLEX hydraulic steerage
- Steering wheel BLIZ CARBON
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them (Tempered glass)
- ✓ 6 retractable cleats, stainless
- Trunk boxes with drainage system
- Navigation lights
- Parking light
- Automatic bilge water pump Attwood Sahara
- 4 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 4 removable stands for seats
- 4 seats ATTWOOD Centric II
- ✓ Hull coating
- Battery switch
- Glove box
- Center rod compartment for 10 spinnings 2,7 m
- Front Aerated Livewell 60 I (1 circuits, feed)
- ✓ Aerated Livewell 100 I (2 circuits, feed-drain)
- Marine carpeting or vinyl finishing
- Fuel tank 150 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (6 lamps)
- LED lighting in the glove box













## VIZION 560

#### SPEED CHARACTERISTICS:

ENGINE	YAMAHA F200		
PROPELLER PITCH	17		21
SPEED KM/H (1 PERS., 30+80KG)	X	84	
SPEED KM/H (2 PERS., 30+160KG)	X	82	84
SPEED KM/H (3 PERS., 30+240KG)	X	79	×
SPEED KM/H (4 PERS., 30+320KG)	79	77	×
SPEED KM/H (5 PERS., 30+400KG)	75	75	X
SPEED KM/H (6 PERS., 30+480KG)	72	72	×

Optima

Max. spee

X Not recommende



VIZION 560



- **3 FRONT COMPARTMENTS**For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing carpet.
- 2 AERATOR 60 L
  Capacity with water 60 I, Pump (1), Tap
  with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- 3 COCKPIT SPINNING COMPARTMENT Meant for 10 spinning rods up to 2,7 m in length (unfolded).
- Drawer under console

  Drawer on both sides of the console for small items. Finishing carpet.
- 5 GLOVE BOX WITH A LOCK
  With a lighting and two USB ports for charging.

6 2 SIDE POCKETS

Compartment for storing hait

Compartment for storing baits and other trifles.

7 AERATOR 100 L

Capacity with water 100 l, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

8 2 REAR COMPARTMENTS

Compartment for storing baits and other trifles. Finish – carpet.

9 MANHOLE

For checking the pumps, cables and any water in the bulge.

10 FUEL TANK NECK Fuel tank 150 l.













The VIZON 600 model is the result of the work of ingenious designers, qualified and talented specialists. During the construction of the hull were applied unique solutions that have achieved excellent seaworthiness. Speed, stability, reliability and safety. For all these parameters, this is one of the best boats in its class. As in all models of boats of the VISION brand, in this model we applied all our experience and recommendations of specialists from many industries: Painting with the participation of experts of the company Tikkurila. Finishes with premium marine vinyl from a leading design studio. Components only from recognized global manufacturers. Fittings and finishing materials from well-known Italian companies. And of course the excellent build quality and craftsmanship of our professionals. All this means that VISION 600 is the leader. And this is the best choice for demanding customers!

#### **Technical data**

HARACTERISTIC	VALUE
Total length	6000 mm
Total width	2360 mm
Hull height in midsection	1060 mm
Transom height	635 mm
Thickness – bilge/board	4 / 3 mm
Hull composite material	AL 5083 H111
Transom deadrise	19°
Load limit (weight of passengers and luggage)	650 kg
Max people capacity	6
Max engine power	225 HP
Max engine power  Weight of rigged hull (excluding outboard motor)	225 HP 880 kg
Weight of rigged hull	

#### **Basic equipment**

- ✓ ULTRAFLEX hydraulic steerage
- Steering wheel BLIZ CARBON
- Electric wiring
- Wiring duct for additional equipment (cable hoist, electric motor)
- ✓ 2 sockets (12V)
- ✓ USB socket for charging (in the glove box)
- Two glassed-in consoles with a folding door and a gate between them (Tempered glass)
- ✓ 6 retractable cleats, stainless
- Trunk boxes with drainage system
- Navigation lights
- Parking light
- Automatic bilge water pump Attwood Sahara
- 4 bases for seats of the cockpit
- ✓ Base for a seat of the front and back part
- ✓ 4 removable stands for seats
- 4 seats ATTWOOD Centric II
- Hull coating
- Battery switch
- Glove box
- Center rod compartment for 10 spinnings 2,7 m
- ✓ Front Aerated Livewell 60 I (1 circuits, feed)
- ✓ Aerated Livewell 100 I (2 circuits, feed-drain)
- Marine carpeting or vinyl finishing
- Fuel tank 220 I (tank filler neck, fuel level sender and indicator)
- ✓ LED lighting on the deck (6 lamps)
- LED lighting in the glove box











## VIZION 600


#### SPEED CHARACTERISTICS:

ENGINE	ҮАМАНА F200		
PROPELLER PITCH	17		21
SPEED KM/H (1 PERS., 30+80KG)	X	90	
SPEED KM/H (2 PERS., 30+160KG)	X		91
SPEED KM/H (3 PERS., 30+240KG)	X	88	88
SPEED KM/H (4 PERS., 30+320KG)	88	86	×
SPEED KM/H (5 PERS., 30+400KG)	85		×
SPEED KM/H (6 PERS., 30+480KG)	81	84	×

- Optimal
- Max. speed
- X Not recommende







- 3 FRONT COMPARTMENTS
  For storage of large things, such as: casting seats, rescue equipment, anchor, rope, other equipment. Finishing carpet.
- 2 AERATOR 60 L
  Capacity with water 60 l, Pump (1), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.
- 3 COCKPIT SPINNING COMPARTMENT
  Meant for 10 spinning rods up to 2,7 m in length (unfolded).
- 4 DRAWER UNDER CONSOLE
  Drawer on both sides of the console for small items. Finishing carpet.
- 5 GLOVE BOX WITH A LOCK
  With a lighting and two USB ports for charging.
- 6 2 SIDE POCKETS Compartment for storing baits and other trifles.

7 COCKPIT COMPARTMENT

Suitable for use as a refrigerator for drinks. Finish – painted.

8 AERATOR 100 L

Capacity with water 100 l, Pump (2), Tap with a filter for withdrawal of water, Spraying cap, Set of hoses and fitting pieces.

9 2 REAR COMPARTMENTS

Compartment for storing baits a

Compartment for storing baits and other trifles. Finish – carpet.

10 REAR LARGE COMPARTMENT

A large compartment for things, lures and gear. Below it is another compartment for two batteries.

11 MANHOLE

For checking the pumps, cables and any water in the bulge.

12 FUEL TANK NECK Fuel tank 220 l.

REAR FOLDING COUCH VERSION



REAR FOLDING SEATS VERSION





ACTUAL PRICES SEE ON WEBSITE



## VIZION RECOMMENDS

ALUMINUM MOTORBOATS














#### MAIN BOAT CONFIGURATION OPTIONS:









Our experts will professionally and efficiently install all this on your boat.

